Author index*

A

ADAMS, PAUL, JR. (*See* Gomez, et al.), 730
AFONSO, SKODA. (*See* Rowe, et al.), 44, 228
AGREST, ALBERTO. (*See* Roncoroni, et al.), 207
AMOS, BERNARD J., ANDERSON, DOUGLAS J., PUFLETT, ROBERT D., EPPS, REGINALD G., KALOKERINOS, JAMES, FREEMAN, ZELMAN, STUCKEY, DOUGLAS S., THOMAS, IAN D., ISBISTER, JAMES, ROWE, PETER, AND PAYNE, W. H. Clinical pathologic conference, 255
AMPLATZ, KURT. (*See* Shone, et al.), 547
——. The roentgenographic diagnosis of mitral and aortic valvular disease, 556
ANDERSON, DOUGLAS J. (*See* Amos, et al.), 255
ANDERSON, RAY C. (*See* Gomez, et al.), 730
——. (*See* Shone, et al.), 547
ARAMENDÍA, PEDRO. The bronchopulmonary anastomoses, 845 (Annot.)
ARCASOY, MUFIT A. (*See* Guntheroth, et al.), 293
ARING, CHARLES D. Vascular headache. The headache associated with "vasomotor instability," 715 (Annot.)
AUCHINCLOSS, J. HOWLAND, JR. Exercise performance and cardiac surgery in uncomplicated atrial septal defect, 716 (Annot.)

B

BADEER, HENRY S. A plea for standardization of definitions in cardiovascular functions, 432 (Annot.)
BARLOW, JOHN B., AND POCOCK, WENDY A. The significance of aortic ejection systolic murmurs, 149
BARNETT, G. OCTO. (*See* Greenfield, et al.), 101
BARTLETT, JOHN D., JR. (*See* Carr, et al.), 650
BECK, CHARLES. (*See* Davis, et al.), 7
BECK, W., SCHRIRE, V., AND VOGELPOEL, L. Splitting of the second heart sound in constrictive pericarditis, with observations on the mechanism of pulsus paradoxus, 765
——, ——, and ——. The hemodynamic effects of amyl nitrite and phenylephrine in patients with mitral stenosis and severe pulmonary hypertension, 631
——. (*See* Vogelpoel, et al.), 169
BEIERWALTES, WILLIAM H. (*See* Carr, et al.), 650
BERGAL, MILTON. (*See* Davis, et al.), 7
BERNSTEIN, HAROLD. (*See* Corday, et al.), 126
BJÖRK, LARS. (*See* Cullhed, et al.), 111
BJÖRK, VIKING OLOV. (*See* Cullhed, et al.), 111
BLOUNT, S. GILBERT, JR. (*See* Vogel, et al.), 13
BLUMENFELD, SERGE. (*See* Scherf, et al.), 357
BOURNE, GEOFFREY. Cardiology without tears, 291
——. Heart size, 437
BOWDEN, D. H. (*See* Goyer and Bowden), 539
BRAUNWALD, EUGENE. (*See* Mason and Braunwald), 796
BREWER, SPENCER S., JR. Thrombelastographic study of 76 patients on long-term anticoagulant therapy with coumarin-type drugs, 739
BRINDLEY, CLYDE O. (*See* Carney, et al.), 106
VAN BRUMMELEN, A. G. W. (*See* Burger, et al.), 666
BURCH, GEORGE E., AND DEPASQUALE, NICHOLAS P. The electrocardiogram in certain anomalies of the coronary arteries, 38
——, AND PHILLIPS, JOHN H. Methods in the diagnostic differentiation of myocardial dilatation from pericardial effusion, 266
——. (*See* Phillips and Burch), 828
——. (*See* Takashina, et al.), 431 (Annot.)
——, WAJSZCZUK, WALDEMAR J. The TsÊ loop in congenital atrial septal defect and persistent atrioventricular canal, 600
BURGER, H. C., VAN BRUMMELEN, A. G. W., AND VAN HERPEN, G. Compromise in vectorcardiography. II. Alterations of coefficients as a means of adapting one lead system to another, 666

C

CAHILL, KEVIN M., AND FLOOD, FRANK B. Rupture of the infarcted ventricular septum, 686
CALATAYUD, JUAN B. (*See* Gorman, et al.), 625
CALIVA, FRANCIS S. (*See* Napodano, et al.), 498
CARNEY, E. KENT, OPPELT, W. WALTER, GLEASON, WILLIAM L., AND BRINDLEY, CLYDE O. Cardiac Hodgkin's disease. A clinical, hemodynamic, and angiocardiographic evaluation of a case, 106
CARR, EDWARD A., JR., BEIERWALTES, WILLIAM H., PATNO, MARY ELLEN, BARTLETT, JOHN D., JR., AND WEGST, AUDREY V. The detection of experimental myocardial infarcts by photoscanning, 650
CASSIDY, JAMES T. Clinical manifestations of cardiac amyloidosis, 136 (Annot.)
CASTILLO, CESAR A. (*See* Rowe, et al.), 44, 228
——, ZARNSTORFF, WILLIAM C., AND CRUMPTON, CHARLES W. An improved transmission oximeter using interference filters, 221
CHELIUS, CARL J. (*See* Rowe, et al.), 228
CHLEBUS, HENRYK. Value of examination of carotid pulse by means of resonance electrosphygmographs in relation to intra-arterial pressure tracings, 22
COHEN, MANFRED L. (*See* Lefemine, et al.), 779, 789
COHEN, WILLARD. (*See* Westlake, et al.), 314
COHN, JAY N., LIPTAK, THOMAS E., AND FREIS, EDWARD D. Comparison of the colloidal chromic phosphate and BSP clearance methods for estimating hepatic blood flow, 661
COLEMAN, PAUL J. (*See* Levinson, et al.), 489
COMBRINK, J. M., DAVIS, W. H., AND SNYMAN, H. W. Familial bundle branch block, 397
CONSTANTINE, HERBERT. (*See* Flatley, et al.), 159
CORDAY, ELIOT, IRVING, DAVID W., GOLD, HERBERT, BERNSTEIN, HAROLD, AND JAFFE, HENRY L. Recent advances in the treatment of arrhythmias and conduction defects, 126
COTTAS, C. S. (*See* Dontas and Cottas), 57
CRONIN, R. F. PATRICK. (*See* Gorman, et al.), 625
CRONVICH, JAMES A. (*See* Takashina, et al.), 431 (Annot.)
CRUMPTON, CHARLES W. (*See* Castillo, et al.), 221
——. (*See* Rowe, et al.), 44, 228

*July, pp. 1-142; August, pp. 143-290; September, pp. 291-436; October, pp. 437-576; November, pp. 577-722; December, pp. 723-864.

CUDKOWICZ, LEON. (*See* Landrigan and Cudkowicz), 187
CULLHED, INGEMAR, BJÖRK, LARS, AND BJÖRK, VIKING OLOV. Congenital pericardial arteriovenous fistula, 111
CUMMING, GORDON R., AND FERGUSON, COLIN C. Anomalous origin of the left coronary artery from the pulmonary artery, functioning as a coronary arteriovenous fistula, 690

D

DAVIES, BETH. (*See* Somerville and Davies), 54
DAVIS, OSCAR F., BECK, CHARLES, BERGAL, MILTON, SLOAN, NOAH, AND LEVINE, ALBERT J. Some observations on the relationships between atherosclerosis, hyperlipemia, and D-thyroxine, 7
DAVIS, W. H. (*See* Combrink, et al.), 397
DEPASQUALE, NICHOLAS P. (*See* Burch and DePasquale), 38
DESIMONE, JOHN. (*See* Napodano, et al.), 498
DE WALL, RICHARD. (*See* Levy, et al.), 392
DICKINSON, C. J. Main cerebral artery disease as a cause of strokes, 429 (Annot.)
DODGE, HAROLD T., HAY, ROBERT E., AND SANDLER, HAROLD. Pressure-volume characteristics of diastolic left ventricle of man with heart disease, 503
DOHERTY, JAMES E., HARA, MASAUKI, LINCOLN, BEN M., AND PERKINS, WILLIAM H. The effect of cardiopulmonary bypass on the turnover rates of digoxin in the serum of dogs, 376
DONTAS, A. S., AND COTTAS, C. S. Arterial pressure and volume contour relations in man during aging, 57
DORNEY, EDWARD R. (*See* Vogler and Dorney), 198
DOWER, G. E. (*See* Moore, et al.), 382
DRESSLER, WILLIAM. Some aspects of noninfectious, recurrent, benign pericarditis, 282 (Annot.)

E

EDWARDS, F. KATHRYN. (*See* Schlant, et al.), 50, 512
EDWARDS, JESSE E. (*See* Shone, et al.), 547
ELLIOTT, LARRY P. (*See* Shone, et al.), 547
ENGEL, ARNOLD. (*See* White, et al.), 842
EPPS, REGINALD G. (*See* Amos, et al.), 255
ESCHER, DORIS J. W. (*See* Rosenblum, et al.), 746
ESHBAUGH, DOROTHY E. (*See* Silber, et al.), 820
EVANS, WILLIAM. Which leads shall we take? 143

F

FERGUSON, COLIN C. (*See* Cumming and Ferguson), 690
FIGLEY, MELVIN M. (*See* Guntheroth, et al.), 293
FITZGERALD, E. W., JR. Anticoagulant control in acute myocardial infarction, 462
FLATLEY, F. JOSEPH, CONSTANTINE, HERBERT, MCCREDIE, R. M., AND YU, PAUL N. Pulmonary diffusing capacity and pulmonary capillary blood volume in normal subjects and in cardiac patients, 159
FLOOD, FRANK B. (*See* Cahill and Flood), 686
FORD, RALPH V. (*See* Johnson and Ford), 321
FOX, SAMUEL M., III. (*See* Greenfield, et al.), 101
FRASER, ROBERT S., MACAULAY, W. D., AND ROSSALL, RICHARD E. Arrhythmias induced during intracardiac catheterization, 439
FREEMAN, ZELMAN. (*See* Amos, et al.), 255
FREIS, EDWARD D. (*See* Cohn, et al.), 661
FRIEDMAN, SIDNEY. (*See* Makous, et al.), 334

G

GANE, SALLY. (*See* Maxwell and Gane), 449
GARCÍA-PALMIERI, MARIO R. Reversal of hyperkalemic cardiotoxicity with hypertonic saline, 483
——. Rheumatic fever and rheumatic heart disease as seen in the tropics, 577
GERBODE, FRANK. (*See* Kerth, et al.), 301
——. (*See* Popper, et al.), 455
GESELOWITZ, DAVID B., LANGNER, PAUL H., JR., AND MANSURE, FRANK T. Further studies on the first derivative of the electrocardiogram, including instruments available for clinical use, 805
GILBERT, ROBERT. A therapeutic dilemma, 284 (Annot.)
GLEASON, WILLIAM L. (*See* Carney, et al.), 106
GOKI, HIROSHI. (*See* Irisawa, et al.), 308
GOLD, HERBERT. (*See* Corday, et al.), 126
GOMEZ, GERARDO, GONZALEZ, FERNANDO, ADAMS, PAUL, JR., AND ANDERSON, RAY C. Electrocardiographic findings after open-heart surgery in children, 730
GONZALEZ, FERNANDO. (*See* Gomez, et al.), 730
GORMAN, PATRICK A., CALATAYUD, JUAN B., CRONIN, R.F. PATRICK, REID, E. A. STEWART, AND SCOTT, HAROLD J. Aortic stenosis in adults. Evaluation of diagnostic criteria in the selection of patients for surgical treatment, 625
GOYER, R. A., AND BOWDEN, D. H. Endocardial fibroelastosis associated with glycogen tumors of the heart and tuberose sclerosis, 539
GREENFIELD, JOSEPH C., JR., PATEL, DALI J., BARNETT, G. OCTO, AND FOX, SAMUEL M., III. Evaluation of the pressure time derivative method for estimating peak blood flow, 101
GREENHOOT, JERRY H. (*See* Porter, et al.), 815
GROVER, ROBERT F. (*See* Vogel, et al.), 13
GRZESKO, SOFÍA. (*See* Roncoroni, et al.), 207
GUNNAR, HERMAN P. (*See* Gunnar, et al.), 543
GUNNAR, ROLF M., GUNNAR, HERMAN P., AND TEPLITZ, RAYMOND. The syndrome of posttraumatic pericarditis, 543
GUNTHEROTH, WARREN G., ARCASOY, MUFIT M., PHILLIPS, LEON A., AND FIGLEY, MELVIN M. Demonstration of collateral circulation to lungs with angiocardiographic studies in congenital heart disease, 293
GURTNER, HANS P. (*See* Rowe, et al.), 228

H

HAMMER, J., AND PÍŠA, Z. A method of isolated, gradual occlusion of a main branch of a coronary artery in closed-chest dogs, 67
HARA, MASAUKI. (*See* Doherty, et al.), 376
HARDING, P. (*See* Moore, et al.), 382
HARKEN, DWIGHT E. (*See* Lefemine, et al.), 779, 789
HASTREITER, ALOIS R., WENNEMARK, JAMES R., MILLER, ROBERT A., AND PAUL, MILTON H. Secundum atrial septal defects with congestive heart failure during infancy and early childhood, 467
HAY, ROBERT E. (*See* Dodge, et al.), 503
HEFNER, L. L. (*See* Reeves and Hefner), 525
HELLEMS, HARPER K. (*See* Levinson, et al.), 489
HELPERN, MILTON. (*See* White, et al.), 842 (Annot.)
VAN HERPEN, G. (*See* Burger, et al.), 666
HERRING, JACK L. (*See* Webb and Herring), 679
HOOBLER, SIBLEY W. Regulation of blood pressure: a cybernetic mechanism residing in the kidney? 569 (Annot.)

I

IRISAWA, HIROSHI, GOKI, HIROSHI, AND YUKUTAKE, MASATO. Cause of the disappearance of the auscultatory sound in indirect blood pressure measurements, 308

IRVING, DAVID W. (*See* Corday, et al.), 126

ISBISTER, JAMES. (*See* Amos, et al.), 255

ISHIOKA, TADAO. (*See* Shimamoto, et al.), 71

J

JACOBSON, EUGENE D., SCHIESS, WILLIAM, AND MOE, GORDON K. The effect of hypoxia on experimental ventricular tachycardia, 368

JAFFE, HENRY L. (*See* Corday, et al.), 126

JAMES, THOMAS N. Arrhythmias and conduction disturbances in acute myocardial infarction, 416

JOHNSON, O. DOUGLAS, AND FORD, RALPH V. Adrenocortical function in hypertensive and nonhypertensive patients, 321

K

KALOKERINOS, JAMES. (*See* Amos, et al.), 255

KAMIKAWA, KIYOO. (*See* Porter, et al.), 815

KARDALINOS, ATHANASSIOS. The second heart sound, 610

KERTH, WILLIAM, GERBODE, FRANK, OSBORN, JOHN J., AND SELZER, ARTHUR. A new approach to the correction of pure mitral insufficiency by open-heart surgery, 301

KINARD, JAMES W. (*See* Schlant, et al.), 50

KNOTT, JAMES M. S. (*See* Popper, et al.), 455

L

LANDALE, DONALD G., AND SCHLAPPI, JOHN C. Thirteen-year survival with acquired interventricular septal defect after myocardial infarction, 33

LANDRIGAN, PAUL L., AND CUDKOWICZ, LEON. Effect of Valsalva and Müller maneuvers on arterial oxygen saturation in normal subjects and in patients with congenital heart disease, 187

LANGNER, PAUL H., JR. (*See* Geselowitz, et al.), 805

LAZZARA, RALPH. (*See* Takashina, et al.), 431 (Annot.)

LEFEMINE, ARMAND A., LOW, HENRY B. C., COHEN, MANFRED L., AND HARKEN, DWIGHT E. Assisted circulation. II. The effect of heart rate on synchronized arterial counterpulsation, 779

——, ——, ——, LUNZER, STEVEN, AND HARKEN, DWIGHT E. Assisted circulation. III. The effect of synchronized arterial counterpulsation on myocardial oxygen consumption and coronary flow, 789

LEHAN, PATRICK H. (*See* Levinson, et al.), 489

LEVINE, ALBERT J. (*See* Davis, et al.), 7

LEVINSON, GILBERT E., LEHAN, PATRICK H., COLEMAN, PAUL J., AND HELLEMS, HARPER K. A short method for measurement of cardiac output by indicator dilution, 489

LEVY, MORRIS J., DE WALL, RICHARD, AND LILLEHEI, C. WALTON. Left ventricular—right atrial canal and subaortic stenosis. Report of a case diagnosed preoperatively, 392

LEVY, ROBERT L. A critique of certain measures presently employed in managing patients with cardiac infarction, 1

LILLEHEI, C. WALTON. (*See* Levy, et al.), 392

——. (*See* Shone, et al.), 547

LINCOLN, BEN M. (*See* Doherty, et al.), 376

LINDER, ERLAND. (*See* Sannerstedt, et al.), 243

LINDSAY, E. R. (*See* Wasserburger, et al.), 617

LIPTAK, THOMAS E. (*See* Cohn, et al.), 661

LJUNGGREN, HÅKAN. (*See* Sannerstedt, et al.), 243

LOGUE, BRUCE, AND TUTUNJI, FRANK. The use of steroids in pericarditis, 570 (Annot.)

LOW, HENRY B. C. (*See* Lefemine, et al.), 779, 789

LOWE, WILLIAM C. (*See* Rowe, et al.), 228

LUDBROOK, JOHN. Functional aspects of the veins of the leg, 706

LUNZER, STEVEN. (*See* Lefemine, et al.), 789

LYONS, CHALMERS. (*See* Napodano, et al.), 498

LYONS, MICHAEL M. (*See* White, et al.), 842

LYONS, RICHARD H. (*See* Napodano, et al.), 498

M

MACAULAY, W. D. (*See* Fraser, et al.), 439

MAKOUS, NORMAN, FRIEDMAN, SIDNEY, YAKOVAC, WILLIAM, AND MARIS, ELIZABETH P. Cardiovascular manifestations in progeria. Report of clinical and pathologic findings in a patient with severe arteriosclerotic heart disease and aortic stenosis, 334

MANSURE, FRANK T. (*See* Geselowitz, et al.), 805

MARIS, ELIZABETH P. (*See* Makous, et al.), 334

MARK, HERBERT. (*See* Rosenblum, et al.), 746

MASON, DEAN T., AND BRAUNWALD, EUGENE. A simplified plethysmographic system for the measurement of systemic arterial pressure and peripheral blood flow, 796

MAXWELL, G. M., AND GANE, SALLY. The impact of congenital heart disease upon the family, 449

MCCREDIE, R. M. (*See* Flatley, et al.), 159

MCILROY, MALCOLM B. (*See* O'Donnell and McIlroy), 347

MENGES, HERMANN, JR. Muscular subvalvular aortic stenosis, 137 (Annot.)

MEYERS, SIEGFRIED S. Impedance-compensated defibrillator, 364

MILLER, ROBERT A. (*See* Hastreiter, et al.), 467

MOE, GORDON K. (*See* Jacobson, et al.), 368

MOORE, A. D., HARDING, P., AND DOWER, G. E. The polarcardiograph. An analogue computer that provides spherical polar coordinates of heart vector, 382

MORE, BRIAN M., AND SOMMERS, SHELDON C. The status of the myocardial arterioles in angina pectoris, 323

N

NAPODANO, RUDOLPH J., CALIVA, FRANCIS S., LYONS, CHALMERS, DESIMONE, JOHN, AND LYONS, RICHARD H. The reactivity to angiotensin of rabbit aorta strips after either alterations of external sodium environment or direct addition of benzydroflumethiazide, 498

NELLEN, M. (*See* Vogelpoel, et al.), 169

NOORDERGRAAF, ABRAHAM. (*See* Starr and Noordergraaf), 79

O

O'DONNELL, THOMAS V., AND MCILROY, MALCOLM B. The circulatory effects of squatting, 347

OPPELT, W. WALTER. (*See* Carney, et al.), 106

OSBORN, JOHN J. (*See* Kerth, et al.), 301

P

PANKEY, GEORGE A. Acute bacterial endocarditis at the University of Minnesota Hospitals, 1939-1959, 583

PATEL, DALI J. (*See* Greenfield, et al.), 101

PATNO, MARY ELLEN. (*See* Carr, et al.), 650

PAUL, MILTON H. (*See* Hastreiter, et al.), 467

PAULIN, SVEN. (*See* Sannerstedt, et al.), 243

PAYNE, W. H. (*See* Amos, et al.), 255

PERKINS, WILLIAM H. (*See* Doherty, et al.), 376

PERRY, EDWARD L. Corticosteroids in Stokes-Adams syndrome, 571 (Annot.)
PHILLIPS, JOHN H., AND BURCH, GEORGE E. Selected problems in the management of emphysema complicated by heart disease in addition to cor pulmonale, 828
——. (*See* Burch and Phillips), 266
PHILLIPS, LEON A. (*See* Guntheroth, et al.), 293
PICK, ALFRED. (*See* Silber, et al.), 820
PIPBERGER, HUBERT V., AND STALLMANN, F. W. Use of computers in ECG interpretation, 285 (Annot.)
PÍŠA, Z. (*See* Hammer and Píša), 67
POCOCK, WENDY A. (*See* Barlow and Pocock), 149
POPPER, ROBERT W., KNOTT, JAMES M. S., SELZER, ARTHUR, AND GERBODE, FRANK. Arrhythmias after cardiac surgery. I. Uncomplicated atrial septal defect, 455
PORTER, ROBERT W., KAMIKAWA, KIYOO, AND GREENHOOT, JERRY H. Persistent electrocardiographic abnormalities experimentally induced by stimulation of the brain, 815
PUFLETT, ROBERT D. (*See* Amos, et al.), 255

R

RAVIN, ABE. (*See* Wassermil, et al.), 592
RAWLS, WILLIAM J. (*See* Schlant, et al.), 50
REEVES, T. J., AND HEFNER, L. L. Isometric contraction and contractility in the intact mammalian ventricle, 525
REID, E. A. STEWART. (*See* Gorman, et al.), 625
REUSCH, CLIFFORD S. The cardiorenal hemodynamic effects of antihypertensive therapy with reserpine, 643
ROBERTSON, ROBERT J., JR. (*See* Schlant, et al.), 512
RODENSKY, PAUL L., AND WASSERMAN, FRED. Esophageal electrocardiography, 444
ROEHR, ELVIRA. (*See* Roncoroni, et al.), 207
RONCORONI, AQUILES J., AGREST, ALBERTO, ROEHR, ELVIRA, AND GRZESKO, SOFÍA. Hemodynamics during mechanical ventilation, 207
ROSENBLUM, ROBERT, MARK, HERBERT, ESCHER, DORIS J. W., STERN, WILHELM Z., AND YOUNG, DENNISON. The differentiation of pulmonic stenosis, ventricular septal defect with normal aortic root from tetralogy of Fallot, 746
ROSSALL, RICHARD E. (*See* Fraser, et al.), 439
ROWE, GEORGE G., AFONSO, SKODA, GURTNER, HANS P., CHELIUS, CARL J., LOWE, WILLIAM C., CASTILLO, CESAR A., AND CRUMPTON, CHARLES W. The systemic and coronary hemodynamic effects of adenosine triphosphate and adenosine, 228
——, CASTILLO, CESAR A., AFONSO, SKODA, AND CRUMPTON, CHARLES W. The systemic and coronary hemodynamic effects of arteriovenous fistulas, 44
ROWE, PETER. (*See* Amos, et al.), 255
ROWE, RICHARD D. Cardiac malformation in Mongolism, 567 (Annot.)
RUEBNER, BORIS H. Is there a decreased incidence of myocardial infarction in patients with cirrhosis of the liver? 135 (Annot.)

S

SANCETTA, SALVATORE M. (*See* Traks and Sancetta), 235
SANDLER, HAROLD. (*See* Dodge, et al.), 503
SANNERSTEDT, RUNE, VARNAUSKAS, EDVARDAS, PAULIN, SVEN, LINDER, ERLAND, LJUNGGREN, HÅKAN, AND WERKÖ, LARS. Right atrial myxoma. Report of a case and review of the literature, 243
SCHATZ, IRWIN J. Clinical training in peripheral vascular diseases, 136 (Annot.)
SCHERF, DAVID, BLUMENFELD, SERGE, AND YILDIZ, MUHTAR. Extrasystoles and parasystole, 357
SCHIESS, WILLIAM. (*See* Jacobson, et al.), 368
SCHLANT, ROBERT C., KINARD, JAMES W., SHUFORD, WADE H., EDWARDS, F. KATHRYN, AND RAWLS, WILLIAM J. A simple device for the timing of individual films during angiocardiography, 50
——. Terminology of the second heart sound, 843 (Annot.)
——, TSAGARIS, THEOFILOS J., ROBERTSON, ROBERT J., JR., WINTER, THORNE S., III, AND EDWARDS, F. KATHRYN. The effect of acetylcholine upon arterial saturation, 512
SCHLAPPI, JOHN C. (*See* Landale and Schlappi), 33
SCHRIRE, V. (*See* Beck, et al.), 631, 765
——. (*See* Vogelpoel, et al.), 169
SCOTT, HAROLD J. (*See* Gorman, et al.), 625
SCOTT, JEAN M. Fatty change in the myocardium of newborn infants, 283 (Annot.)
SCOTT, RALPH C. Current concepts of ventricular activation in the normal heart, in left bundle branch block, and in left bundle branch block with myocardial infarction, 696
SELZER, ARTHUR. (*See* Kerth, et al.), 301
——. (*See* Popper, et al.), 455
SHIMAMOTO, TAKIO, TAKEUCHI, KUNIO, AND ISHIOKA, TADAO. Preventive effectiveness of MAO inhibitor and ineffectiveness of prothrombinopenic anticoagulant against increase in plasma thrombin activity by adrenaline, cholesterol, and traumatization, 71
SHONE, JOHN D., ANDERSON, RAY C., ELLIOTT, LARRY P., AMPLATZ, KURT, LILLEHEI, C. WALTON, AND EDWARDS, JESSE E. Clinical pathologic conference, 547
SHUFORD, WADE H. (*See* Schlant, et al.), 50
SILBER, EARL, PICK, ALFRED, AND ESHBAUGH, DOROTHY E. Clinical pathologic conference, 820
SIMSON, GEORGE. Digitalis assay, 401
SLOAN, NOAH. (*See* Davis, et al.), 7
SLONIM, N. BALFOUR. (*See* Wassermil, et al.), 592
SNYMAN, H. W. (*See* Combrink, et al.), 397
SOMERVILLE, JANE, AND DAVIES, BETH. Effect of vanadium on serum cholesterol, 54
SOMMERS, SHELDON C. (*See* More and Sommers), 323
SPACH, MADISON S. Radiation exposure in children with heart disease, 726
SPEIRS, ALEXANDER L. Drug-induced malformations in the fetus, 717 (Annot.)
SPODICK, DAVID H. Precision in auscultatory terminology, 714 (Annot.)
STALLMANN, F. W. (*See* Pipberger and Stallmann), 285 (Annot.)
STARR, ISAAC, AND NOORDERGRAAF, ABRAHAM. A comparison between ultralow-frequency ballistocardiograms and those secured by an improved high-frequency technique, with studies to explain remaining differences, 79
STERN, WILHELM Z. (*See* Rosenblum, et al.), 746
STUCKEY, DOUGLAS S. (*See* Amos, et al.), 255
SWANEPOEL, A. (*See* Vogelpoel, et al.), 169

T

TAKASHINA, TSUNEKAZU, LAZZARA, RALPH, CRONVICH, JAMES A., AND BURCH, GEORGE E. Transfer of Cd^{115m} across the pericardium of dogs, 431
TAKEUCHI, KUNIO. (*See* Shimamoto, et al.), 71
TEPLITZ, RAYMOND. (*See* Gunnar, et al.), 543

THOMAS, IAN D. (*See* Amos, et al.), 255
TRAKS, ELMERICE, AND SANCETTA, SALVATORE M. The effects of "dry" heat on the circulation of man. Renal hemodynamics, 235
TSAGARIS, THEOFILOS J. (*See* Schlant, et al.), 512
TUMULTY, PHILIP A. Antibiotic therapy of bacterial endocarditis, 117
TURNER, JOHN D. (*See* White, et al.), 842 (Annot.)
TUTUNJI, FRANK. (*See* Logue and Tutunji), 570 (Annot.)

V

VARNAUSKAS, EDVARDAS. (*See* Sannerstedt, et al.), 243
VETERANS ADMINISTRATION COOPERATIVE STUDY ON ANTIHYPERTENSIVE AGENTS. An evaluation of the sodium Amytal sedation test in male hypertensive patients, 473
VOGEL, JOHN H. K., GROVER, ROBERT F., AND BLOUNT, S. GILBERT, JR. Detection of the small intracardiac shunt with the hydrogen electrode. A highly sensitive and simple technique, 13
VOGELPOEL, L., SCHRIRE, V., BECK, W., NELLEN, M., AND SWANEPOEL, A. Variations in the response of the systolic murmur to vasoactive drugs in ventricular septal defect, with special reference to the paradoxical response in large defects with pulmonary hypertension, 169
——. (*See* Beck, et al.), 631, 765
VOGLER, WILLIAM R., and DORNEY, EDWARD R. Bacterial endocarditis in congenital heart disease, 198

W

WAJSZCZUK, WALDEMAR J. (*See* Burch and Wajszczuk), 600
WARKENTIN, DONALD L. (*See* Wassermil, et al.), 592
WASSERBURGER, R. H., WHITE, D. H., AND LINDSAY, E. R. Noninfarctional $QS_{II, III, AVF}$ complexes as seen in the Wolff-Parkinson-White syndrome and left bundle branch block, 617
WASSERMAN, FRED. (*See* Rodensky and Wasserman), 444
WASSERMIL, MENDEL. The diagnosis of atrial myxoma, 844 (Annot.)
——, WARKENTIN, DONALD L., SLONIM, N. BALFOUR, AND RAVIN, ABE. Left atrial puncture in patients with rheumatic mitral valvular disease, 592
WEBB, WATTS R., AND HERRING, JACK L. Pericarditis due to histoplasmosis, 679
WEGST, AUDREY V. (*See* Carr, et al.), 650
WENNEMARK, JAMES R. (*See* Hastreiter, et al.), 467
WERKÖ, LARS (*See* Sannerstedt, et al.), 243
WESTLAKE, ROBERT E., COHEN, WILLARD, AND WILLIS, WILLARD H. Wolff-Parkinson-White syndrome and familial cardiomegaly, 314
WHITE, D. H. (*See* Wasserburger, et al.), 617
WHITE, PAUL D., HELPERN, MILTON, TURNER, JOHN D., LYONS, MICHAEL M., AND ENGEL, ARNOLD. A note on the discussion of nontraumatic sudden death by American and Soviet cardiologists in Moscow in May, 1961, 842 (Annot.)
WILLIS, WILLARD H. (*See* Westlake, et al.), 314
WINTER, THORNE S., III. (*See* Schlant, et al.), 512
WOLF, ROBERT L. Vasoactive polypeptides, 427 (Annot.)

Y

YAKOVAC, WILLIAM. (*See* Makous, et al.), 334
YILDIZ, MUHTAR. (*See* Scherf, et al.), 357
YOUNG, DENNISON. (*See* Rosenblum, et al.), 746
YU, PAUL N. (*See* Flatley, et al), 159
YUKUTAKE, MASATO. (*See* Irisawa, et al.), 308

Z

ZARNSTORFF, WILLIAM C. (*See* Castillo, et al.), 221

Subject index*

A

Acetylcholine, effect of, upon arterial saturation (Schlant, et al.), 512

Acknowledgment to reviewers, 723

Activation, ventricular, in normal heart, current concepts of, in left bundle branch block and in left bundle branch block with myocardial infarction (Scott), 696

Adenosine, systemic and coronary hemodynamic effects of adenosine triphosphate and (Rowe, et al.), 228

triphosphate and adenosine, systemic and coronary hemodynamic effects of (Rowe, et al.), 228

Adrenaline, cholesterol, and traumatization, preventive effectiveness of MAO inhibitor and ineffectiveness of prothrombinopenic anticoagulant against increase in plasma thrombin activity by (Shimamoto, et al.), 71

Adrenocortical function in hypertensive and nonhypertensive patients (Johnson and Ford), 321

Aging, arterial pressure and volume contour relations in man during (Dontas and Cottas), 57

structural aspects of, 574 (B. Rev.)

Amyl nitrite and phenylephrine, hemodynamic effects of, in patients with mitral stenosis and severe pulmonary hypertension (Beck, et al.), 631

Amyloidosis, cardiac, clinical manifestations of (Cassidy), 136 (Annot.)

Amytal, sodium, sedation test in male hypertensive patients, evaluation of (Veterans Administration Cooperative Study on Antihypertensive Agents), 473

Analogue computer that provides spherical polar coordinates of heart vector. Polarcardiograph (Moore, et al.), 382

Anastomoses, bronchopulmonary (Aramendía), 845 (Annot.)

Angina pectoris, status of myocardial arterioles in (More and Sommers), 323

Angiocardiographic studies in congenital heart disease, demonstration of collateral circulation to lungs with (Guntheroth, et al.), 293

Angiocardiography, simple device for timing of individual films during (Schlant, et al.), 50

Angiotensin, reactivity to, of rabbit aorta strips after either alterations of external sodium environment or direct addition of benzydroflumethiazide (Napodano, et al.), 498

symposium, on, 287 (B. Rev.)

Annotations, 135, 282, 427, 567, 714, 842

Announcements, 141, 290, 436, 576, 722

Anticoagulant control in acute myocardial infarction (Fitzgerald), 462

prothrombinopenic, preventive effectiveness of MAO inhibitor and ineffectiveness of, against increase in plasma thrombin activity by adrenaline, cholesterol, and traumatization (Shimamoto, et al.), 71

therapy, long-term, thrombelastographic study of 76 patients on, with coumarin-type drugs (Brewer), 739

Antihypertensive therapy with reserpine, cardiorenal hemodynamic effects of (Reusch), 643

Aorta, rabbit, strips, reactivity to angiotensin of, after either alterations of external sodium environment or direct addition of benzydroflumethiazide (Napodano, et al.), 498

Aortic ejection systolic murmurs, significance of (Barlow and Pocock), 149

mitral and, valvular disease, roentgenographic diagnosis of (Amplatz), 556

root, normal, differentiation of pulmonic stenosis, ventricular septal defect with, from tetralogy of Fallot (Rosenblum, et al.), 746

stenosis in adults. Evaluation of diagnostic criteria in selection of patients for surgical treatment (Gorman, et al.), 625

report of clinical and pathologic findings in patient with severe arteriosclerotic heart disease and. Cardiovascular manifestations in progeria (Makous, et al.), 334

subvalvular, muscular (Menges), 137 (Annot.)

Arrhythmias after cardiac surgery. I. Uncomplicated atrial septal defect (Popper, et al.), 455

and conduction defects, recent advances in treatment of (Corday, et al.), 126

disturbances in acute myocardial infarction (James), 416

atrial, "serious," in postoperative period after atrial septal repair (Table VI) (Popper, et al.), 459

effect of, on vital organs (Corday, et al.), 126

induced during intracardiac catheterization (Fraser, et al.), 439

Arterial counterpulsation, synchronized, effect of heart rate on (II); assisted circulation (Lefemine, et al.), 779

on myocardial oxygen consumption and coronary flow (III); assisted circulation (Lefemine, et al.), 789

oxygen saturation, effect of Valsalva and Müller maneuvers on, in normal subjects and in patients with congenital heart disease (Landrigan and Cudkowicz), 187

pressure and volume contour relations in man during aging (Dontas and Cottas), 57

*July, pp. 1-142; August, pp. 143-290; September, pp. 291-436; October, pp. 437-576; November, pp. 577-722; December, pp. 723-864.

Arterial, pressure—Cont'd
systemic, and peripheral blood flow, simplified plethysmographic system for measurement of (Mason and Braunwald), 796
saturation, effect of acetylcholine upon (Schlant, et al.), 512

Arteries, coronary, anatomy of, 287 (B. Rev.)
electrocardiogram in certain anomalies of (Burch and DePasquale), 38

Arteriography, 288 (B. Rev.)

Arterioles, myocardial, status of, in angina pectoris (More and Sommers), 323

Arteriosclerotic heart disease, severe, and aortic stenosis, report of clinical and pathologic findings in patient with. Cardiovascular manifestations in progeria (Makous, et al.), 334

Arteriovenous fistula, coronary, anomalous origin of left coronary artery from pulmonary artery functioning as (Cumming and Ferguson), 690
pericardial, congenital (Cullhed, et al.), 111
systemic and coronary hemodynamic effects of (Rowe, et al.), 44

Artery, cerebral, disease, main, as cause of strokes (Dickinson), 429 (Annot.)
coronary, left, anomalous origin of, from pulmonary artery, functioning as coronary arteriovenous fistual (Cumming and Ferguson), 690
method of isolated, gradual occlusion of main branch of, in closed-chest dogs (Hammer and Píša), 67

Atherosclerosis, hyperlipemia, and D-thyroxine, some observations on relationships between (Davis, et al.), 7

Atrial canal, right, left ventricular —, and subaortic stenosis. Report of case diagnosed preoperatively (Levy, et al.), 392
myxoma, diagnosis of (Wassermil), 844 (Annot.)
right. Report of case and review of literature (Sannerstedt, et al.), 243
puncture, left, in patients with rheumatic mitral valvular disease (Wassermil, et al.), 592
septal defect, congenital, TsÊ loop in, and persistent atrioventricular canal (Burch and Wajszczuk), 600
ostium secundum type of, data on TsÊ loop of 23 patients with (Table I) (Burch and Wajszczuk), 601
second heart sound during respiration in 20 patients with (Table III) (Kardalinos), 613
(secundum) clinical findings in 13 infants with, who developed cardiac failure (Table I) (Hastreiter, et al.), 468
uncomplicated (I); arrhythmias after cardiac surgery (Popper, et al.), 455
exercise performance and cardiac surgery in (Auchincloss), 716 (Annot.)
defects, secundum, with congestive heart failure during infancy and early childhood (Hastreiter, et al.), 467

Atrioventricular canal, persistent, TsÊ loop in congenital atrial septal defect and (Burch and Wajszczuk), 600

Auscultatory sound, cause of disappearance of, in indirect blood pressure measurements (Irisawa, et al.), 308
terminology, precision in (Spodick), 714 (Annot.)

B

Bacterial endocarditis, acute, at University of Minnesota Hospitals, 1939-1959 (Pankey), 583
antibiotic therapy of (Tumulty), 117
in congenital heart disease (Vogler and Dorney), 198

Ballistocardiograms, ultralow-frequency, and those secured by improved high-frequency technique, comparison between, with studies to explain remaining differences (Starr and Noordergraaf), 79

Benzydroflumethiazide, reactivity to angiotensin of rabbit aorta strips after either alterations of external sodium environment or direct addition of (Napodano, et al.), 498

Bibliography of medical reviews, 141 (B. Rev.)

Block, bundle branch, familial (Combrink, et al.), 397
left, current concepts of ventricular activation in normal heart, in, and in left bundle branch block with myocardial infarction (Scott), 696
noninfarctional $QS_{II, III, aVF}$ complexes as seen in Wolff-Parkinson-White syndrome and (Wasserburger, et al.), 617

Blood flow, hepatic, comparison of colloidal chromic phosphate and BSP clearance methods for estimating (Cohn, et al.), 661
peak, evaluation of pressure time derivative method for estimating (Greenfield, et al.), 101
peripheral, simplified plethysmographic system for measurement of systemic arterial pressure and (Mason and Braunwald), 796
pressure measurements, indirect, cause of disappearance of auscultatory sound in (Irisawa, et al.), 308
regulation of: cybernetic mechanism residing in kidney (Hoobler), 569 (Annot.)
vessels and circulation, 287 (B. Rev.)
volume, capillary, pulmonary, pulmonary diffusing capacity and, in normal subjects and in cardiac patients (Flatley, et al.), 159

Book reviews, 140, 287, 434, 573, 719

Brain, persistent electrocardiographic abnormalities experimentally induced by stimulation of (Porter, et al.), 815

Bronchopulmonary anastomoses (Aramendía), 845 (Annot.)

BSP clearance methods, comparison of colloidal chromic phosphate and, for estimating hepatic blood flow (Cohn, et al.), 661

Bundle branch block, familial (Combrink, et al.), 397
left, activation in (Scott), 700
current concepts of ventricular activation in normal heart, in, and in left bundle branch block with myocardial infarction (Scott), 696

Bundle branch block, left—Cont'd
and myocardial infarction (Scott), 702
noninfarctional $QS_{II, III, aVF}$ complexes as seen in Wolff-Parkinson-White syndrome and (Wasserburger, et al.), 617
right, complete, classification (Lepeschkin) of, after intracardiac surgery (Group B) (Table VI) (Gomez, et al.), 735

Bypass, cardiopulmonary, effect of, on turnover rates of digoxin in serum of dogs (Doherty, et al.), 376

C

Canal, atrioventricular, persistent, TsÊ loop in congenital atrial septal defect and (Burch and Wajszczuk), 600
right atrial, left ventricular —, and subaortic stenosis. Report of case diagnosed preoperatively (Levy, et al.), 392

Capillary blood volume, pulmonary, pulmonary diffusing capacity and, in normal subjects and in cardiac patients (Flatley, et al), 159

Cardiac amyloidosis, clinical manifestations of (Cassidy), 136 (Annot.)
arrest and problem of resuscitation (Corday, et al.), 131
due to blood transfusion (Corday, et al.), 132
disease, congenital. Review of 357 cases studied pathologically, 721 (B. Rev.)
Hodgkin's disease. Clinical, hemodynamic, and angiocardiographic evaluation of case (Carney, et al.), 106
infarction, critique of certain measures presently employed in managing patients with (Levy), 1
malformation in Mongolism (Rowe), 567 (Annot.)
output, short method for measurement of, by indicator dilution (Levinson, et al.), 489
surgery, arrhythmias after. I. Uncomplicated atrial septal defect (Popper, et al.), 455
exercise performance and, in uncomplicated atrial septal defect (Auchincloss), 716 (Annot.)

Cardiologists, American and Soviet, note on discussion of nontraumatic sudden death by, in May, 1961 (White, et al.), 842 (Annot.)

Cardiology, guide to, 288 (B. Rev.)
without tears (Bourne), 291

Cardiomegaly, familial, Wolff-Parkinson-White syndrome and (Westlake, et al.), 314

Cardiopulmonary bypass, effect of, on turnover rates of digoxin in serum of dogs (Doherty, et al.), 376

Cardiorenal hemodynamic effects of antihypertensive therapy with reserpine (Reusch), 643

Cardiotoxicity, hyperkalemic, reversal of, with hypertonic saline (García-Palmieri), 483

Cardiovascular agents, index-handbook of, Volume 2, Parts I and II, 434 (B. Rev.)
disease, rheumatic, clinical (Table I) (García-Palmieri), 578
functions, plea for standardization of definitions in (Badeer), 432 (Annot.)

Cardiovascular—Cont'd
manifestations in progeria. Report of clinical and pathologic findings in patients with severe arteriosclerotic heart disease and aortic stenosis (Makous, et al.), 334
system, development and structure of, 435 (B. Rev.)

Carotid pulse, value of examination of, by means of resonance electrosphygmographs in relation to intra-arterial pressure tracings (Chlebus), 22

Catheterization, cardiac findings in 6 infants with atrial septal defect (secundum) who developed cardiac failure (Table III) (Hastreiter, et al.), 469
intracardiac, arrhythmias induced during (Fraser, et al.), 439

Cd^{115m}, transfer of, across pericardium of dogs (Takashina, et al), 431 (Annot.)

Cerebral artery disease, main, as cause of strokes (Dickinson), 429 (Annot.)
vascular study group, survey report of, 575 (B. Rev.)

Childhood, early, secundum atrial septal defects with congestive heart failure during infancy and (Hastreiter, et al.), 467

Children, electrocardiographic findings after open-heart surgery in (Gomez, et al.), 730
with heart disease, radiation exposure in (Spach), 726

Cholesterol, adrenaline, and traumatization, preventive effectiveness of MAO inhibitor and ineffectiveness of prothrombinopenic anticoagulant against increase in plasma thrombin activity by (Shimamoto, et al.), 71
serum, effect of vanadium on (Somerville and Davies), 54

Chromic phosphate, colloidal, and BSP clearance methods for estimating hepatic blood flow, comparison of (Cohn, et al.), 661

Circulation, assisted. II. Effect of heart rate on synchronized arterial counterpulsation (Lefemine, et al.), 779
III. Effect of synchronized arterial counterpulsation on myocardial oxygen consumption and coronary flow (Lefemine, et al.), 789
blood vessels and, 287 (B. Rev.)
collateral, to lungs, demonstration of, with angiocardiographic studies in congenital heart disease (Guntheroth, et al.), 293
of man, effects of "dry" heat on. Renal hemodynamics (Traks and Sancetta), 235

Circulatory effects of squatting (O'Donnell and McIlroy), 347

Cirrhosis of liver, is there decreased incidence of myocardial infarction in patients with? (Ruebner), 135 (Annot.)

Clinical pathologic conference (Amos, et al.), 255
(Shone, et al.), 547
(Silber, et al.), 820

Closed-chest dogs, method of isolated, gradual occlusion of main branch of coronary artery in (Hammer and Píša), 67

Collateral circulation to lungs, demonstration of, with angiocardiographic studies in congenital heart disease (Guntheroth, et al.), 293

Colloidal chromic phosphate and BSP clearance methods for estimating hepatic blood flow, comparison of (Cohn, et al.), 661

Computer, analogue, that provides spherical polar coordinates of heart vector. Polarcardiograph (Moore, et al.), 382

Computers, use of, in ECG interpretation (Pipberger and Stallmann), 285 (Annot.)

Conduction defects, recent advances in treatment of arrhythmias and (Corday, et al.), 126

disturbances, arrhythmias and, in acute myocardial infarction (James), 416

of heart rate, rhythm, and, 140 (B. Rev.)

Congestive heart failure, secundum atrial septal defects with, during infancy and early childhood (Hastreiter, et al.), 467

Constrictive pericarditis, splitting of second heart sound in, with observations on mechanism of pulsus paradoxus (Beck, et al.), 765

Contour, volume, relations, arterial pressure and, in man during aging (Dontas and Cottas), 57

Contractility, isometric contraction and, in intact mammalian ventricle (Reeves and Hefner), 525

Cor pulmonale, selected problems in management of emphysema complicated by heart disease in addition to (Phillips and Burch), 828

Coronary arteries, anatomy of, 287 (B. Rev.)

electrocardiogram in certain anomalies of (Burch and DePasquale), 38

artery, left, anomalous origin of, from pulmonary artery, functioning as coronary arteriovenous fistula (Cumming and Ferguson), 690

method of isolated, gradual occlusion of main branch of, in closed-chest dogs (Hammer and Píša), 67

flow, effect of synchronized arterial counterpulsation on myocardial oxygen consumption and (III); assisted circulation (Lefemine, et al.), 789

systemic and, hemodynamic effects of adenosine triphosphate and adenosine (Rowe, et al.), 228

Corticosteroids in Stokes-Adams syndrome (Perry), 571 (Annot.)

Coumarin-type drugs, thrombelastographic study of 76 patients on long-term anticoagulant therapy with (Brewer), 739

Counterpulsation, arterial, synchronized, effect of heart rate on (II); assisted circulation (Lefemine, et al.), 779

on myocardial oxygen consumption and coronary flow (III); assisted circulation (Lefemine, et al.), 789

Cybernetic mechanism residing in kidney? Regulation of blood pressure (Hoobler), 569 (Annot.)

D

Death, sudden, nontraumatic, note on discussion of, by American and Soviet cardiologists in Moscow in May, 1961 (White, et al.), 842 (Annot.)

Defects, large, with pulmonary hypertension, variations in response of systolic murmur to vasoactive drugs in ventricular septal defect, with special reference to paradoxical response in (Vogelpoel, et al.), 169

Defibrillator, impedance-compensated (Meyers), 364

Definitions, plea for standardization of, in cardiovascular functions (Badeer), 432 (Annot.)

Derivative, first, of electrocardiogram, further studies on, including instruments available for clinical use (Geselowitz, et al.), 805

pressure time, method for estimating peak blood flow, evaluation of (Greenfield, et al.), 101

Diastolic left ventricle of man with heart disease, pressure-volume characteristics of (Dodge, et al.), 503

Diffusing capacity, pulmonary, and pulmonary capillary blood volume in normal subjects and in cardiac patients (Flatley, et al.), 159

Digitalis assay (Simson), 401

toxicity (Corday, et al.), 129

Digoxin, effect of cardiopulmonary bypass on turnover rates of, in serum of dogs (Doherty, et al), 376

Dilatation, myocardial, methods in diagnostic differentiation of, from pericardial effusion (Burch and Phillips), 266

Dilution, indicator, short method for measurement of cardiac output by (Levinson, et al.), 489

Dogs, closed-chest, method of isolated, gradual occlusion of main branch of coronary artery in (Hammer and Píša), 67

effect of cardiopulmonary bypass on turnover rates of digoxin in serum of (Doherty, et al.), 376

transfer of Cd^{115m} across pericardium of (Takashina, et al.), 431 (Annot.)

Drug-induced malformations in fetus (Speirs), 717 (Annot.)

Drugs affecting lipid metabolism, 575 (B. Rev.)

coumarin-type, thrombelastographic study of 76 patients on long-term anticoagulant therapy with (Brewer), 739

vasoactive, variations in response of systolic murmur to, in ventricular septal defect, with special reference to paradoxical response in large defects with pulmonary hypertension (Vogelpoel, et al.), 169

"Dry" heat, effects of, on circulation of man. Renal hemodynamics (Traks and Sancetta), 235

E

ECG interpretation, use of computers in (Pipberger and Stallmann), 285 (Annot.)

Editorials, 1, 143, 291, 437, 577, 726

Cardiology without tears (Bourne), 291

Editorials—Cont'd
Critique of certain measures presently employed in managing patients with cardiac infarction (Levy), 1
Heart size (Bourne), 437
Radiation exposure in children with heart disease (Spach), 726
Rheumatic fever and rheumatic heart disease as seen in tropics (García-Palmieri), 577
Which leads shall we take? (Evans), 143

Effusion, pericardial, methods in diagnostic differentiation of myocardial dilatation from (Burch and Phillips), 266

Electrocardiogram, further studies on first derivative of, including instruments available for clinical use (Geselowitz, et al.), 805
in certain anomalies of coronary arteries (Burch and DePasquale), 38

Electrocardiographic abnormalities, persistent, experimentally induced by stimulation of brain (Porter, et al.), 815
findings after open-heart surgery in children (Gomez, et al.), 730
roentgenographic and, in 13 infants with atrial septal defect (secundum) who developed cardiac failure (Table II) (Hastreiter, et al.), 468

Electrocardiography, esophageal (Rodensky and Wasserman), 444
vector, 435 (Annot.)

Electrode, hydrogen, detection of small intracardiac shunt with. Highly sensitive and simple technique (Vogel, et al.), 13

Electrodes, appraisal of leads and positioning of (Evans), 144

Electrolytes, heart, kidney, and, 289 (B. Rev.)

Electrosphygmographs, resonance, value of examination of carotid pulse by means of, in relation to intra-arterial pressure tracings (Chlebus), 22

Emphysema complicated by heart disease in addition to cor pulmonale, selected problems in management of (Phillips and Burch), 828
pulmonary, chronic (Table II) (Roncoroni, et al). 212

Endocardial fibroelastosis associated with glycogen tumors of heart and tuberose sclerosis (Goyer and Bowden), 539

Endocarditis, bacterial, acute, at University of Minnesota Hospitals, 1939-1959 (Pankey), 583
antibiotic therapy of (Tumulty), 117
in congenital heart disease (Vogler and Dorney), 198

Esophageal electrocardiography (Rodensky and Wasserman), 444

Exercise performance and cardiac surgery in uncomplicated atrial septal defect (Auchincloss), 716 (Annot.)

Extrasystoles and parasystole (Scherf, et al.), 357

F

Fainting. Physiological and psychological considerations, 289 (B. Rev.)

Fallot, differentiation of pulmonic stenosis, ventricular septal defect with normal aortic root from tetralogy of (Rosenblum, et al.), 746

Fallot's tetralogy, clinical details in 14 patients with (Table I) (O'Donnell and McIlroy), 348

Familial bundle branch block (Combrink, et al.), 397

Family, impact of congenital heart disease upon (Maxwell and Gane), 449

Fat, low, live high on, 573 (B. Rev.)

Fetus, drug-induced malformations in (Speirs), 717 (Annot.)

Fibroelastosis, endocardial, associated with glycogen tumors of heart and tuberose sclerosis (Goyer and Bowden), 539

Films, individual, simple device for timing of, during angiocardiography (Schlant, et al.), 50

Filters, interference, improved transmission oximeter using (Castillo, et al.), 221

Fistula, aortocaval, hemodynamic effects of (Table II) (Rowe, et al.), 47
arteriovenous, pericardial, congenital (Cullhed, et al.), 111
A-V, femoral, hemodynamic effects of (Table I) (Rowe, et al.), 46

Fistulas, arteriovenous, systemic and coronary hemodynamic effects of (Rowe, et al.), 44

Fitness, health and, in modern world, 719 (B. Rev.)

Function, adrenocortical, in hypertensive and nonhypertensive patients (Johnson and Ford), 321

G

Gitalin, review of (Simson), 405

Glycogen tumors of heart and tuberose sclerosis, endocardial fibroelastosis associated with (Goyer and Bowden), 539

Grossi Vasi, trasposizione dei. Studio radiologico, 719 (B. Rev.)

H

Headache, vascular. Headache associated with "vasomotor instability" (Aring), 715 (Annot.)

Health and fitness in the modern world, 719 (B. Rev.)

Heart block, complete, management of (Corday, et al.), 130
disease, arteriosclerotic, severe, and aortic stenosis, report of clinical and pathologic findings in patient with. Cardiovascular manifestations in progeria (Makous, et al.), 334
congenital, bacterial endocarditis in (Vogler and Dorney), 198
demonstration of collateral circulation to lungs with angiocardiographic studies in (Guntheroth, et al.), 293
effect of Valsalva and Müller maneuvers on arterial oxygen saturation in normal subjects and in patients with (Landrigan and Cudkowicz), 187
impact of, upon family (Maxwell and Gane), 449

Heart, disease—Cont'd
pressure-volume characteristics of diastolic left ventricle of man with (Dodge, et al.), 503
radiation exposure in children with (Spach), 726
rheumatic, rheumatic fever and, as seen in tropics (García-Palmieri), 577
selected problems in management of emphysema complicated by, in addition to cor pulmonale (Phillips and Burch), 828
failure, congestive, secundum atrial septal defects with, during infancy and early childhood (Hastreiter, et al.), 467
glycogen tumors of, and tuberose sclerosis, endocardial fibroelastosis associated with (Goyer and Bowden), 539
kidney, and electrolytes, 289 (B. Rev.)
normal, current concepts of ventricular activation in, in left bundle branch block, and in left bundle branch block with myocardial infarction (Scott), 696
rate, effect of, on synchronized arterial counterpulsation (II); assisted circulation (Lefemine, et al.), 779
rhythm, and conduction, disturbances of, 140 (B. Rev.)
right, types of arrhythmias induced during catheterization of, in 942 patients (Table I) (Fraser, et al.), 440
size (Bourne), 437
sound, second (Kardalinos), 610
splitting of, in constrictive pericarditis, with observations on mechanism of pulsus paradoxus (Beck, et al.), 765
terminology of (Schlant), 843 (Annot.)
vector, analogue computer that provides spherical polar coordinates of. Polarcardiograph (Moore, et al.), 382
your, 20th century and, 434 (B. Rev.)

Heat, "dry," effects of, on circulation of man. Renal hemodynamics (Traks and Sancetta), 235

Hemodynamic effects, cardiorenal, of antihypertensive therapy with reserpine (Reusch), 643
of amyl nitrite and phenylephrine in patients with mitral stenosis and severe pulmonary hypertension (Beck, et al.), 631
systemic and coronary, of adenosine triphosphate and adenosine (Rowe, et al.), 228
of arteriovenous fistulas (Rowe, et al.), 44
parameters, cardiac and renal, from all procedures (Table I) (Reusch), 645

Hemodynamics during mechanical ventilation (Roncoroni, et al.), 207
renal. Effects of "dry" heat on circulation of man (Traks and Sancetta), 235

Hepatic blood flow, comparison of colloidal chromic phosphate and BSP clearance methods for estimating (Cohn, et al.), 661

Herzkrankheiten, Therapie der, 140 (B. Rev.)

Herzmuskels, Stoffwechsel des, 140 (B. Rev.)

Herzschall-Fibel. Einführung in die Mechanokardiographie, 721 (B. Rev.)

Herzstromkurve, Differentialdiagnose der, 720 (B. Rev.)

High-frequency technique, improved, comparison between ultralow-frequency ballistocardiograms and those secured by, with studies to explain remaining differences (Starr and Noordergraaf), 79

Histoplasmosis, pericarditis due to (Webb and Herring), 679

Hodgkin's disease, cardiac. Clinical, hemodynamic, and angiocardiographic evaluation of case (Carney, et al.), 106

Hydrogen electrode, detection of small intracardiac shunt with. Highly sensitive and simple technique (Vogel, et al.), 13

Hyperkalemic cardiotoxicity, reversal of, with hypertonic saline (García-Palmieri), 483

Hyperlipemia, atherosclerosis, and D-thyroxine, some observations on relationships between (David, et al.), 7

Hypertension, 573 (B. Rev.)
essential, nature of, 287 (B. Rev.)
pulmonary, cardiac rhythm in patients with (Table IV) (Popper, et al.), 457
severe, hemodynamic effects of amyl nitrite and phenylephrine in patients with mitral stenosis and (Beck, et al.), 631
variations in response of systolic murmur to vasoactive drugs in ventricular septal defect, with special reference to paradoxical response in large defects with (Vogelpoel, et al.), 169

Hypertensive and nonhypertensive patients, adrenocortical function in (Johnson and Ford), 321
diseases, management of, 434 (B. Rev.)
patients, male, evaluation of sodium Amytal sedation test in, (Veterans Administration Cooperative Study on Antihypertensive Agents) 473

Hypertonic saline, reversal of hyperkalemic cardiotoxicity with (García-Palmieri), 483

Hypometabolic treatment of cardiac arrhythmias (Corday, et al.), 128

Hypoxia, effect of, on experimental ventricular tachycardia (Jacobson, et al.), 368

I

Impedance-compensated defibrillator (Meyers), 364

Indicator dilution, short method for measurement of cardiac output by (Levinson, et al.), 489

Infants, newborn, fatty change in myocardium of (Scott), 283 (Annot.)

Infarcted ventricular septum, rupture of (Cahill and Flood), 686

Infarction, cardiac, critique of certain measures presently employed in managing patients with (Levy), 1
myocardial, acute, anticoagulant control in (Fitzgerald), 462
arrhythmias and conduction disturbances in (James), 416
current concepts of ventricular activation in normal heart, in left bundle branch block, and in left bundle branch block with (Scott), 696

Infarction, myocardial—Cont'd
is there decreased incidence of, in patients with cirrhosis of liver? (Ruebner), 135 (Annot.)
thirteen-year survival with acquired interventricular septal defect after (Landale and Schlappi), 33
Infarcts, myocardial, experimental, detection of, by photoscanning (Carr, et al.), 650
Inhibitor, MAO, preventive effectiveness of, and ineffectiveness of prothrombinopenic anticoagulant against increase in plasma thrombin activity by adrenaline, cholesterol, and traumatization (Shimamoto, et al.), 71
Insufficiency, mitral, pure, new approach to correction of, by open-heart surgery (Kerth, et al.), 301
Interference filters, improved transmission oximeter using (Castillo, et al.), 221
Interventricular septal defect, acquired, after myocardial infarction, thirteen-year survival with (Landale and Schlappi), 33
septum, electrical and anatomic partition of (Scott), 697
Intracardiac catheterization, arrhythmias induced during (Fraser, et al.), 439
shunt, small, detection of, with hydrogen electrode. Highly sensitive and simple technique (Vogel, et al.), 13
surgery, conduction distrubances before and after (Group B) (Table V) (Gomez, et al.), 734
Isometric contraction and contractility in intact mammalian ventricle (Reeves and Hefner), 525

K

Kidney, cybernetic mechanism residing in? Regulation of blood pressure (Hoobler), 569 (Annot.)
heart, and electrolytes, 289 (B. Rev.)

L

Lead system, one, alterations of coefficients as means of adapting, to another (II); compromise in vectorcardiography (Burger, et al.), 666
Leads, appraisal of, and positioning of electrodes (Evans), 144
which, shall we take? (Evans), 143
Leg, functional aspects of veins of (Ludbrook), 706
Letters to editor, 139
Lipid metabolism, drugs affecting, 575 (B. Rev.)
Liver, cirrhosis of, is there decreased incidence of myocardial infarction in patients with? (Ruebner), 135 (Annot.)
Loop, TsÊ, in congenital atrial septal defect and persistent atrioventricular canal (Burch and Wajszczuk), 600
Low fat, live high on, 573 (B. Rev.)
Lungs, demonstration of collateral circulation to, with angiocardiographic studies in congenital heart disease (Guntheroth, et al.), 293

M

Malformations, drug-induced, in fetus (Speirs), 717 (Annot.)
Mammalian ventricle, intact, isometric contraction and contractility in (Reeves and Hefner), 525
MAO inhibitor, preventive effectiveness of, and ineffectiveness of prothrombinopenic anticoagulant against increase in plasma thrombin activity by adrenaline, cholesterol, and traumatization (Shimamoto, et al.), 71
Mechanical ventilation, hemodynamics during (Roncoroni, et al.), 207
Mechanokardiographie, Einführung in die. Herzschall-Fibel, 721 (B. Rev.)
Metabolism, lipid, drugs affecting, 575 (B. Rev.)
Mitral valvular disease, and aortic, roentgenographic diagnosis of (Amplatz), 556
insufficiency, pure, new approach to correction of, by open-heart surgery (Kerth, et al.), 301
stenosis and severe pulmonary hypertension, hemodynamic effects of amyl nitrite and phenylephrine in patients with (Beck, et al.), 631
second heart sound during respiration in 20 patients with (Table IV) (Kardalinos), 613
valvular disease, rheumatic, left atrial puncture in patients with (Wassermil, et al.), 592
Mongolism, cardiac malformation in (Rowe), 567 (Annot.)
Müller, Valsalva and, maneuvers, effect of, on arterial oxygen saturation in normal subjects and in patients with congenital heart disease (Landrigan and Cudkowicz), 187
Murmur, systolic, variations in response of, to vasoactive drugs in ventricular septal defect, with special reference to paradoxical response in large defects with pulmonary hypertension (Vogelpoel, et al.), 169
Murmurs, systolic, aortic, data on 20 patients with (Table I) (Barlow and Pocock), 153
ejection, significance of (Barlow and Pocock), 149
incidence of, in 200 normal children, aged 2 to 12 years (Table II) (Barlow and Pocock), 154
in 100 normal pregnant women, aged 17 to 33 years (Table III) (Barlow and Pocock), 154
young adults, aged 17 to 28 years (Table IV) (Barlow and Pocock), 154
Myocardial arterioles, status of, in angina pectoris (More and Sommers), 323
dilatation, causes of (Table I) (Burch and Phillips), 271
methods in diagnostic differentiation of, from pericardial effusion (Burch and Phillips), 266
infarction, acute, anticoagulant control in (Fitzgerald), 462
arrhythmias and conduction disturbances in (James), 416
current concepts of ventricular activation in normal heart, in left bundle branch block, and in left bundle branch block with (Scott), 696
is there decreased incidence of, in patients with cirrhosis of liver? (Ruebner), 135 (Annot.)
left bundle branch block and (Scott), 702
mortality rate of arrhythmias associated with (Corday, et al.), 127

Myocardial, infarction—Cont'd
thirteen-year survival with acquired interventricular septal defect after (Landale and Schlappi), 33
topography of (James), 416
infarcts, experimental, detection of, by photoscanning (Carr, et al.), 650
oxygen consumption and coronary flow, effect of synchronized arterial counterpulsation on (III); assisted circulation (Lefemine, et al.), 789
Myocardium of newborn infant, fatty change in (Scott), 283 (Annot.)
Myxoma, atrial, diagnosis of (Wassermil), 844 (Annot.)
right. Report of case and review of literature (Sannerstedt, et al.), 243
collected data from case records in literature on patients with, in right atrium who were operated on (Table II) (Sannerstedt, et al.), 246

N

Nontraumatic sudden death, note on discussion of, by American and Soviet cardiologists in Moscow in May, 1961 (White, et al.), 842 (Annot.)

O

Occlusion, gradual, isolated, of main branch of coronary artery, method of, in closed-chest dogs (Hammer and Píša), 67
Open-heart surgery in children, electrocardiographic findings after (Gomez, et al.), 730
new approach to correction of pure mitral insufficiency by (Kerth, et al.), 301
Output, cardiac, short method for measurement of, by indicator dilution (Levinson, et al.), 489
Oximeter, transmission, improved, using interference filters (Castillo, et al.), 221
Oxygen, arterial, saturation, effect of Valsalva and Müller maneuvers on, in normal subjects and in patients with congenital heart disease (Landrigan and Cudkowicz), 187
consumption, myocardial, and coronary flow, effect of synchronized arterial counterpulsation on (III); assisted circulation (Lefemine, et al.), 789

P

Pain, diagnosis and management of, 719 (B. Rev.)
Paracentesis, pericardial (Burch and Phillips), 275
Paralysis, respiratory, chronic (Table I) (Roncoroni, et al.), 210
Parasystole, extrasystoles and (Scherf, et al.), 357
Pericardial effusion, methods in diagnostic differentiation of myocardial dilatation from (Burch and Phillips), 266
Pericarditis, benign, recurrent, noninfectious, some aspects of (Dressler), 282 (Annot.)
causes of (Table II) (Burch and Phillips), 272
constrictive, splitting of second heart sound in, with observations on mechanism of pulsus paradoxus (Beck), 765
due to histoplasmosis (Webb and Herring) 679
post-traumatic, syndrome of (Gunnar, et al.), 543
use of steroids in (Logue and Tutunji), 570 (Annot.)
Pericardium of dogs, transfer of Cd^{115m} across (Takashina, et al.), 431 (Annot.)
Peripheral blood flow, simplified plethysmographic system for measurement of systemic arterial pressure and (Mason and Braunwald), 796
vascular diseases, clinical training in (Schatz), 136 (Annot.)
Phenylephrine, hemodynamic effects of amyl nitrite and, in patients with mitral stenosis and severe pulmonary hypertension (Beck, et al.), 631
Photoscanning, detection of experimental myocardial infarcts by (Carr, et al.), 650
Physical diagnoses, 720 (B. Rev.)
Physiology, handbook of, 720 (B. Rev.)
Plasma thrombin activity, preventive effectiveness of MAO inhibitor and ineffectiveness of prothrombinopenic anticoagulant against increase in, by adrenaline, cholesterol, and traumatization (Shimamoto, et al.), 71
Plethysmographic system, simplified, for measurement of systemic arterial pressure and peripheral blood flow (Mason and Braunwald), 796
Polar coordinates, spherical, of heart vector, analogue computer that provides. Polarcardiograph (Moore, et al.), 382
Polarcardiograph. Analogue computer that provides spherical polar coordinates of heart vector (Moore, et al.), 382
general description of (Moore, et al.), 386
Polypeptides, vasoactive (Wolf), 427 (Annot.)
Pressure, arterial, and volume contour relations in man during aging (Dontas and Cottas), 57
systemic, and peripheral blood flow, simplified plethysmographic system for measurement of (Mason and Braunwald), 796
blood, measurements, indirect, cause of disappearance of auscultatory sound in (Irisawa, et al.), 308
time derivative method for estimating peak blood flow, evaluation of (Greenfield, et al.), 101
tracings, intra-arterial, value of examination of carotid pulse by means of resonance electrosphygmographs in relation to (Chlebus), 22
Pressure-volume characteristics of the diastolic left ventricle of man with heart disease (Dodge, et al.), 503
Progeria, cardiovascular manifestations in. Report of clinical and pathologic findings in patient with severe arteriosclerotic heart desease and aortic stenosis (Makous, et al.), 334
Prothrombinopenic anticoagulant, preventive effectiveness of MAO inhibitor and ineffectiveness of, against increase in plasma thrombin activity by adrenaline, cholesterol, and traumatization (Shimamoto, et al.), 71
Pulmonary artery, anomalous origin of left coronary artery from, functioning as coronary arteriovenous fistula (Cumming and Ferguson), 690
diffusing capacity and pulmonary capillary blood volume in normal subjects and in cardiac patients (Flatley et al.), 159
emphysema, chronic (Table II) (Roncoroni, et al.), 212

Pulmonary—Cont'd
hypertension, severe, hemodynamic effects of amyl nitrite and phenylephrine in patients with mitral stenosis and (Beck, et al.), 631
variations in response of systolic murmur to vasoactive drugs in ventricular septal defect, with special reference to paradoxical response in large defects with (Vogelpoel, et al.), 169
stenosis, second heart sound during respiration in 20 patients with (Table I) (Kardalinos), 612

Pulmonic stenosis, ventricular septal defect with normal aortic root, differentiation of, from tetralogy of Fallot (Rosenblum, et al.), 746

Pulse, carotid, value of examination of, by means of resonance electrosphygmographs in relation to intra-arterial pressure tracings (Chlebus), 22

Pulsus paradoxus, splitting of second heart sound in constrictive pericarditis, with observations on mechanism of (Beck), 765

Puncture, atrial, left, in patients with rheumatic mitral valvular disease (Wassermil, et al.), 592

Q

$QS_{II, III, AVF}$ complexes, noninfarctional, as seen in Wolff-Parkinson-White syndrome and left bundle branch block (Wasserburger, et al.), 617

R

Rabbit aorta strips, reactivity to angiotensin of, after either alterations of external sodium environment or direct addition of benzydroflumethiazide (Napodano, et al.), 498

Radiation exposure in children with heart disease (Spach), 726

Renal hemodynamics. Effects of "dry" heat on circulation of man (Traks and Sancetta), 235

Reserpine, cardiorenal hemodynamic effects of antihypertensive therapy with (Reusch), 643

Respiratory paralysis, chronic (Table I) (Roncoroni, et al.), 210

Reviewers, acknowledgment to, 723

Rheumatic fever and rheumatic heart disease as seen in tropics (García-Palmieri), 577
mitral valvular disease, left atrial puncture in patients with (Wassermil, et al.), 592

Rhythm, cardiac, in patients with pulmonary hypertension (Table IV) (Popper, et al.), 457
heart rate, and conduction, disturbances of, 140 (B. Rev.)

Roentgenographic and electrocardiographic findings in 13 infants with atrial septal defect (secundum) who developed cardiac failure (Table II) (Hastreiter, et al.), 468
diagnosis of mitral and aortic valvular disease (Amplatz), 556

Rupture of infarcted ventricular septum (Cahill and Flood), 686

S

Saline, hypertonic, reversal of hyperkalemic cardiotoxicity with (García-Palmieri), 483

Sedation test, sodium Amytal, in male hypertensive patients, evaluation of, (Veterans Administration Cooperative Study on Antihypertensive Agents) 473

Septal defect, atrial, congenital, TsÊ loop in, and persistent atrioventricular canal (Burch and Wajszczuk), 600
uncomplicated (I); arrhythmias after cardiac surgery (Popper, et al.), 455
exercise performance and cardiac surgery in (Auchincloss), 716 (Annot.)
interventricular, acquired, after myocardial infarction, thirteen-year survival with (Landale and Schlappi), 33
ventricular, second heart sound during respiration in 20 patients with (Table II) (Kardalinos), 612
variations in response of systolic murmur to vasoactive drugs in, with special reference to paradoxical response in large defects with pulmonary hypertension (Vogelpoel, et al.) 169
with normal aortic root, differentiation of pulmonic stenosis, from tetralogy of Fallot (Rosenblum et al.), 746
defects, atrial, secundum, with congestive heart failure during infancy and early childhood (Hastreiter, et al.), 467

Septum, ventricular, infarcted, rupture of (Cahill and Flood), 686

Serum cholesterol, effect of vanadium on (Somerville and Davies), 54
of dogs, effect of cardiopulmonary bypass on turnover rates of digoxin in (Doherty, et al.), 376

Shunt, intracardiac, small, detection of, with hydrogen electrode. Highly sensitive and simple technique (Vogel, et al.), 13

Smoking and health, 575 (B. Rev.)

Sodium adenosine triphosphate, systemic and coronary hemodynamic effects of (Table I) (Rowe, et al.), 230
Amytal sedation test, evaluation of, in male hypertensive patients, (Veterans Administration Cooperative Study on Antihypertensive Agents), 473
environment, external, alterations of, reactivity to angiotensin of rabbit aorta strips after either, or direct addition of benzydroflumethiazide (Napodano, et al.), 498

Sound, auscultatory, cause of disappearance of, in indirect blood pressure measurements (Irisawa, et al.), 308
heart, second (Kardalinos), 610
splitting of, in constrictive pericarditis, with observations on mechanism of pulsus paradoxus (Beck, et al.), 765
terminology of (Schlant), 843 (Annot.)

Spherical polar coordinates of heart vector, analogue computer that provides. Polarcardiograph (Moore, et al.), 382

Splitting of second heart sound in constrictive pericarditis, with observations on mechanism of pulsus paradoxus (Beck, et al.), 765

Squatting, circulatory effects of (O'Donnell and McIlroy), 347

Standardization of definitions, plea for, in cardiovascular functions (Badeer), 432 (Annot.)

Stenosis, aortic, in adults. Evaluation of diagnostic criteria in selection of patients for surgical treatment (Gorman, et al.), 625

Stenosis, aortic—Cont'd
report of clinical and pathologic findings in patient with severe arteriosclerotic heart disease and. Cardiovascular manifestations in progeria (Makous, et al.), 334
subvalvular, muscular (Menges), 137 (Annot.)
mitral, and severe pulmonary hypertension, hemodynamic effects of amyl nitrite and phenylephrine in patients with (Beck, et al.), 631
pulmonic, ventricular septal defect with normal aortic root, differentiation of, from tetralogy of Fallot (Rosenblum, et al.), 746
subaortic, left ventricular–right atrial canal and. Report of case diagnosed preoperatively (Levy, et al.), 392
Steroids, use of, in pericarditis (Logue and Tutunji), 570 (Annot.)
Stoffwechsel des Herzmuskels, 140 (B. Rev.)
Stokes-Adams syndrome, corticosteroids in (Perry), 571 (Annot.)
Strokes, main cerebral artery disease as cause of (Dickinson), 429 (Annot.)
Subaortic stenosis, left ventricular–right atrial canal and. Report of case diagnosed preoperatively (Levy, et al.), 392
Surgery, cardiac, arrhythmias after. I. Uncomplicated atrial septal defect (Popper, et al.), 455
exercise performance and, in uncomplicated atrial septal defect (Auchincloss), 716 (Annot.)
intracardiac, frequency and type of arrhythmias after (Group B) (Table III) (Gomez, et al.), 732
open-heart, in children, electrocardiographic findings after (Gomez, et al.), 730
new approach to correction of pure mitral insufficiency by (Kerth, et al.), 301
Surgical procedures, effect of various forms of, on arrhythmias (Table V) (Popper, et al.), 457
treatment, evaluation of diagnostic criteria in selection of patients for; aortic stenosis in adults (Gorman, et al.), 625
Syndrome, Wolff-Parkinson-White, and familial cardiomegaly (Westlake, et al.), 314
Systemic and coronary hemodynamic effects of adenosine triphosphate and adenosine (Rowe, et al.), 228
Systolic murmur, isolated, differential diagnosis of (Barlow and Pocock), 150
variation in response of, to vasoactive drugs in ventricular septal defect, with special reference to paradoxical response in large defects with pulmonary hypertension (Vogelpoel, et al.), 169
murmurs, aortic ejection, significance of (Barlow and Pocock), 149

T

Tachycardia, ventricular, experimental, effect of hypoxia on (Jacobson, et al.), 368
Terminology, auscultatory, precision in (Spodick), 714 (Annot.)
of second heart sound (Schlant), 843 (Annot.)
Tetralogy of Fallot, differentiation of pulmonic stenosis, ventricular septal defect with normal aortic root from (Rosenblum, et al.), 746
Therapeutic dilemma (Gilbert), 285 (Annot.)
Therapie der Herzkrankheiten, 140 (B. Rev.)
Thrombelastographic study of 76 patients on long-term anticoagulant therapy with coumarin-type drugs, 739
Thrombin, plasma, activity, preventive effectiveness of MAO inhibitor and ineffectiveness of prothrombinopenic anticoagulant against increase in, by adrenaline, cholesterol, and traumatization (Shimamoto, et al.), 71
D-Thyroxine, some observations on relationships between atherosclerosis, hyperlipemia, and (Davis, et al.), 7
Transmission oximeter, improved, using interference filters (Castillo, et al.), 221
Trasposizione dei Grossi Vasi. Studio Radiologico, 719 (B. Rev.)
Traumatization, preventive effectiveness of MAO inhibitor and ineffectiveness of prothrombinopenic anticoagulant against increase in plasma thrombin activity by adrenaline, cholesterol, and (Shimamoto, et al.), 71
Tropics, rheumatic fever and rheumatic heart disease as seen in (García-Palmieri), 577
TsÊ loop in congenital atrial septal defect and persistent atrioventricular canal (Burch and Wajszczuk), 600
Tuberose sclerosis, endocardial fibroelastosis associated with glycogen tumors of heart and (Goyer and Bowden), 539
Tumors, glycogen, of heart and tuberose sclerosis, endocardial fibroelastosis associated with (Goyer and Bowden), 539
Turnover rates of digoxin, effect of cardiopulmonary bypass on, in serum of dogs (Doherty, et al.), 376

U

Ultralow-frequency ballistocardiograms and those secured by improved high-frequency technique, comparison between, with studies to explain remaining differences (Starr and Noordergraaf), 79

V

Valsalva and Müller maneuvers, effect of, on arterial oxygen saturation in normal subjects and in patients with congenital heart disease (Landrigan and Cudkowicz), 187
Valvular disease, mitral and aortic, roentgenographic diagnosis of (Amplatz), 556
rheumatic, left atrial puncture in patients with (Wassermil, et al.), 592
Vanadium, effect of, on serum cholesterol (Somerville and Davies), 54
Varicose veins, primary, —pathogenesis (Ludbrook), 709
—treatment (Ludbrook), 710
Vascular, cerebral, study group, survey report of, 575 (B. Rev.)
headache. Headache associated with "vasomotor instability" (Aring), 715 (Annot.)
peripheral, diseases, clinical training in (Schatz), 136 (Annot.)
Vasoactive polypeptides (Wolf), 427 (Annot.)
Vasopressor treatment of cardiac arrhythmias and conduction defects (Corday, et al.), 127
Vector electrocardiography, 435 (B. Rev.)
heart, analogue computer that provides spherical polar coordinates of. Polarcardiograph (Moore, et al.), 382

Vectorcardiography, compromise in. II. Alterations of coefficients as means of adapting one lead system to another (Burger, et al.), 666

Veins of the leg, functional aspects of (Ludbrook), 706

Ventilation, mechanical, hemodynamics during (Roncoroni, et al.), 207

Ventricle, left, diastolic, of man with heart disease, pressure-volume characteristics of (Dodge, et al.), 503

mammalian, intact, isometric contraction and contractility in (Reeves and Hefner), 525

Ventricular activation in normal heart, current concepts of, in left bundle branch block and in left bundle branch block with myocardial infarction (Scott), 696

left, –right atrial canal and subaortic stenosis. Report of case diagnosed preoperatively (Levy, et al.), 392

Ventricular—Cont'd

septal defect, variations in response of systolic murmur to vasoactive drugs in, with special reference to paradoxical response in large defects with pulmonary hypertension (Vogelpoel, et al.), 169

with normal aortic root, differentiation of pulmonic stenosis, from tetralogy of Fallot (Rosenblum, et al.), 746

septum, infarcted, rupture of (Cahill and Flood), 686

tachycardia, experimental, effect of hypoxia on (Jacobson, et al.), 368

Volume contour relations, arterial pressure and, in man during aging (Dontas and Cottas), 57

W

Wolff-Parkinson-White syndrome and familial cardiomegaly (Westlake, et al.), 314

and left bundle branch block, noninfarctional $QS_{II, III, aVF}$ complexes as seen in (Wasserburger, et al.), 617